



Trojan Timbers Vinyl Details

Ethically Produced Envrionmentally Sound

Trojan recognises our responsibility for assisting in the protection of the environment by sourcing and working only with manufacturers who have an accredited Environment Management System. Trojan PROFESSIONAL vinyl is produced in accordance with the following requirements:

- ISO14001:2004
- GB/T24001-2004



Durable Protective Coating

Suitable for many high traffic areas, Trojan PROFESSIONAL requires no special maintenance Please refer to our website for complete care and maintenance advice.



Acoustically Sound

In typical developments Trojan PROFESSIONAL has exceeded industry acoustic requirements for high-rise residential units. May be installed without the need for a secondary underlay - offering a considerable cost advantage during construction*.

*Would need feild test



Bevel Edge

The bevel edge of a Trojan PROFESSIONAL plank locks the floor in place and reflects light coming into the room. This reduces the possibility of a shadow-effect which can make the floor look warped.



Finishes

Trojan PROFESSIONAL is available in various finishes including EIR - a registered embossed surface offering a realistic timber grain. There is a wide range of colour and style options including traditional and distressed finishes.



Lifetime warranty

Lifetime Structural Warranty refers and applies to the structural integrity of the vinyl planks - guaranteeing no de-lamination, disintegration or structural deterioration as a direct result of a production fault over the planks lifetime.



20 Year Wear-and-Tear Warranty


Trojan PROFESSIONAL's 20 year Wear-and-Tear Warranty guarantees against the visible wear-ing-out of the decorative pattern of your vinyl floor. This gives you piece of mind that your lux-ury vinyl planks are built to last. Conditions apply. For a complete copy of the warranty visit the Trojan Timbers website: www.trojantimbers.com.au



Dry Back Flooring

Product Structure

- 1. UV coating
- 2. Wear layer
- 3. Printing layer
- 4. Middle layer
- 5. Fiberglass (Total thickness ≥ 2.5mm)
 - 6. Bottom layer



Loose Lay Flooring

Product Structure

- 1. UV coating
- Wear layer
- Printing layer
- 4. Middle layer
- 5. Fiberglass6. Bottom layer
- 7. Anti-slip backing



Certification





Trojan PROFESSIONAL Vinyl is certified to meet the requirements for FloorScore - a certification for Indoor Air Quality for hard surface flooring materials.



Trojan PROFESSIONAL Vinyl meet the requirements of ANSI certification, which helps to assure the safety and health of consumers and the protection of the environment



Trojan PROFESSIONAL Vinyl conforms with the Building Code of Australia's requirements for flooring materials: spec c1.10.